

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 04.01.2017

Version 5.6

SECTION 1. Identification of the substance/mixture and of the company/undertaking

 1.1 Product identifier

 Catalogue No.
 112048

 Product name
 Barium titanate (IV)

 REACH Registration Number
 A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No.

1.2 Relevant identified uses of the substance or mixture and uses advised against

12047-27-7

 Identified uses
 Chemical for synthesis

 For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

1	4 Emergency telephone	Please contact the regional company representation in your country.
	Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com
	Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

number

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4, Oral, H302 Acute toxicity, Category 4, Inhalation, H332

For the full text of the H-Statements mentioned in this Section, see Section 16.

Catalogue No.112048Product nameBarium titanate (IV)

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word Warning

Hazard statements H302 + H332 Harmful if swallowed or if inhaled



Hazard pictograms



Signal word Warning

Index-No. 056-002-00-7

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula	BaTiO₃	BaO₃Ti (Hill)
Index-No.	056-002-00-7	
EC-No.	234-975-0	
Molar mass	233,2 g/mol	

Catalogue No.112048Product nameBarium titanate (IV)

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)CAS-No.Registration numberClassificationbarium titanate(IV) (>= 50 % - <= 100 %)</td>12047-27-7*)

Acute toxicity, Category 4, H302 Acute toxicity, Category 4, H332

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Dizziness, Nausea, Vomiting, Stomach/intestinal disorders, Circulatory collapse, Convulsions, muscular weakness, CNS disorders, paralysis symptoms

4.3 Indication of any immediate medical attention and special treatment needed

Subsequently administer: Sodium sulfate (1 tablespoon/1/4 l water).

SECTION 5. Firefighting measures

5.1 Extinguishing media

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

Catalogue No. 112048 Product name Barium titanate (IV)

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

Catalogue No. 112048 Product name Barium titanate (IV)

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection Safety glasses

Catalogue No.	112048
Product name	Barium titanate (IV)

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

alogue No. duct name	112048 Barium titanate (IV)	
Form	solid	
1 Olili	30110	
Colour	light vollow	
Coloui	light yellow	
Odour		
Odour	odourless	
Odour Threshold	Natappliachta	
Odour Threshold	Not applicable	
pН	ca. 9,6	
	at 20 g/l	
	25 °C	
	(slurry)	
Melting point	1.625 °C	
Boiling point	No information available.	
Flash point	Not applicable	
Evaporation rate	No information available.	
Flammability (solid, gas)	No information available.	
Lower explosion limit	No information available.	
Upper explosion limit	No information available.	
Vapour pressure	No information available.	
Relative vapour density	No information available.	
Density	6,08 g/cm3	
	at 20 °C	
Relative density	No information available.	
Water solubility	at 20 °C	

Catalogue No. Product name	112048 Barium titanate (IV)	
Partition coefficient: n- octanol/water	No information available.	
Auto-ignition temperature	No information available.	
Decomposition temperature	No information available.	
Viscosity, dynamic	No information available.	
Explosive properties	Not classified as explosive.	
Oxidizing properties	none	
9.2 Other data		
Bulk density	ca.1.400 kg/m3	

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

no information available

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

Catalogue No.112048Product nameBarium titanate (IV)

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity Symptoms: Nausea, Vomiting, Stomach/intestinal disorders

Acute toxicity estimate: 500,1 mg/kg Expert judgement

Acute inhalation toxicity

Acute toxicity estimate: 1,6 mg/l; dust/mist

Expert judgement

Acute dermal toxicity

This information is not available.

Skin irritation

This information is not available.

Eye irritation This information is not available.

Sensitisation This information is not available.

Germ cell mutagenicity This information is not available.

Carcinogenicity This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity This information is not available.

Specific target organ toxicity - single exposure This information is not available.

Specific target organ toxicity - repeated exposure This information is not available.

Aspiration hazard This information is not available.

Catalogue No.	112048
Product name	Barium titanate (IV)

11.2 Further information

Systemic effects:

After absorption:

rise in blood pressure, Cardiac irregularities, Convulsions, Dizziness, Circulatory collapse, CNS

disorders, paralysis symptoms, muscular weakness

Damage to:

Cardiac

Inhalation of the dusts should be avoided as even inert dusts may impair respiratory organ

functions.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Biological effects:

Hazard for drinking water supplies.

Discharge into the environment must be avoided.

Catalogue No.112048Product nameBarium titanate (IV)

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID) 14.1 - 14.6	Not classified as dangerous in the meaning of transport regulations.
Inland waterway transport (ADN Not relevant)
Air transport (IATA)	
14.1 - 14.6	Not classified as dangerous in the meaning of transport regulations.
Sea transport (IMDG)	
14.1 - 14.6	Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations	
Major Accident Hazard	SEVESO III
Legislation	Not applicable
Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Regulation (EC) No 1005/2009 on substances that not regulated deplete the ozone layer

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

Catalogue No. Product name	112048 Barium titanate (IV)	
Regulation (EC) No 850/20 Parliament and of the Cou persistent organic pollutan Directive 79/117/EEC	ncil of 29 April 2004 on	not regulated
Substances of very high co	oncern (SVHC)	This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of \ge 0.1 % (w/w).
<i>National legislation</i> Storage class	10 - 13	

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H332	Harmful if inhaled.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word Warning

Catalogue No.112048Product nameBarium titanate (IV)

Hazard statements

H302 + H332 Harmful if swallowed or if inhaled

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.