

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Revision Date 15.07.2018

Version 18.5

---

**SECTION 1. Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag.  
Ph Eur

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses Reagent for analysis, Chemical production

In compliance with the conditions described in the annex to this safety data sheet.

**1.3 Details of the supplier of the safety data sheet**

Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone:+49 6151 72-0

Responsible Department LS-QHC \* e-mail: prodsafe@merckgroup.com

**1.4 Emergency telephone number** Please contact the regional company representation in your country.

---

**SECTION 2. Hazards identification****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Corrosive to metals, Category 1, H290

Skin corrosion, Category 1B, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms



#### Signal word

Danger

#### Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

#### Precautionary statements

##### Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

##### Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

### Reduced labelling (≤125 ml)

#### Hazard pictograms



#### Signal word

Danger

#### Hazard statements

H314 Causes severe skin burns and eye damage.

#### Precautionary statements

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

## 2.3 Other hazards

None known.

---

## SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution

### 3.1 Substance

Not applicable

### 3.2 Mixture

#### Hazardous components (REGULATION (EC) No 1272/2008)

*Chemical name (Concentration)*

CAS-No.	Registration number	Classification
---------	---------------------	----------------

phosphoric acid ( $\geq 50\%$  -  $\leq 100\%$ )

*PBT/vPvB: Not applicable for inorganic substances*

7664-38-2	01-2119485924-24-
-----------	-------------------

XXXX

Corrosive to metals, Category 1, H290

Skin corrosion, Category 1B, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4. First aid measures

### 4.1 Description of first aid measures

*General advice*

First aider needs to protect himself.

After inhalation: fresh air. Call in physician.

After skin contact: wash off with plenty of water. Remove contaminated clothing. Call a physician immediately.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Pain, Spasm, shock, conjunctivitis  
Risk of blindness!

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

---

## SECTION 5. Firefighting measures

### 5.1 Extinguishing media

#### *Suitable extinguishing media*

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### *Unsuitable extinguishing media*

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Oxides of phosphorus

### 5.3 Advice for firefighters

#### *Special protective equipment for firefighters*

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### *Further information*

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

---

## SECTION 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H<sup>+</sup>, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

Indications about waste treatment see section 13.

---

## SECTION 7. Handling and storage

### 7.1 Precautions for safe handling

#### *Advice on safe handling*

Observe label precautions.

#### *Hygiene measures*

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### 7.2 Conditions for safe storage, including any incompatibilities

#### *Requirements for storage areas and containers*

No metal or light-weight-metal containers.

#### *Storage conditions*

Tightly closed.

Recommended storage temperature see product label.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

## 7.3 Specific end use(s)

See exposure scenario in the Annex to this MSDS.

---

## SECTION 8. Exposure controls/personal protection

### 8.1 Control parameters

#### Derived No Effect Level (DNEL)

*phosphoric acid (7664-38-2)*

Worker DNEL, acute	Local effects	inhalation	2 mg/m <sup>3</sup>
Worker DNEL, longterm	Local effects	inhalation	1 mg/m <sup>3</sup>
Consumer DNEL, longterm	Local effects	inhalation	0,73 mg/m <sup>3</sup>

#### Predicted No Effect Concentration (PNEC)

*phosphoric acid (7664-38-2)*

PNEC no data available

### 8.2 Exposure controls

#### Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

#### Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

#### *Eye/face protection*

Tightly fitting safety goggles

#### *Hand protection*

full contact:

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

### *Other protective equipment*

Acid-resistant protective clothing

### *Respiratory protection*

required when vapours/aerosols are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### **Environmental exposure controls**

Do not let product enter drains.

---

## **SECTION 9. Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573  
Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

Form	liquid
Colour	colourless
Odour	odourless
Odour Threshold	Not applicable
pH	< 0,5 at 100 g/l 20 °C
Melting point	ca. 21 °C
Boiling point/boiling range	ca. 158 °C at 1.013 hPa
Flash point	does not flash
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Vapour pressure	2 hPa at 20 °C
Relative vapour density	No information available.
Density	1,71 g/cm <sup>3</sup> at 20 °C



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573  
Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

Relative density	No information available.
Water solubility	at 20 °C soluble
Partition coefficient: n- octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	Oxidizing potential

## 9.2 Other data

Ignition temperature	not combustible
Viscosity, kinematic	30,5 mm <sup>2</sup> /s at 20 °C
Corrosion	May be corrosive to metals.

---

## SECTION 10. Stability and reactivity

### 10.1 Reactivity

See section 10.3

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

Metals, metal alloys

Possible formation of:

Hydrogen

Violent reactions possible with:

bases, metallic oxides

## 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

Aluminium, iron/iron-containing compounds, Mild steel

Gives off hydrogen by reaction with metals.

## 10.6 Hazardous decomposition products

in the event of fire: See section 5.

---

## SECTION 11. Toxicological information

### 11.1 Information on toxicological effects

#### Mixture

##### *Acute oral toxicity*

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach., Pain

##### *Acute inhalation toxicity*

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:., damage of respiratory tract

##### *Acute dermal toxicity*

This information is not available.

##### *Skin irritation*

Mixture causes burns.

##### *Eye irritation*

Mixture causes serious eye damage. Risk of blindness! conjunctivitis

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

## *Sensitisation*

This information is not available.

## *Germ cell mutagenicity*

This information is not available.

## *Carcinogenicity*

This information is not available.

## *Reproductive toxicity*

This information is not available.

## *Teratogenicity*

This information is not available.

## *Specific target organ toxicity - single exposure*

This information is not available.

## *Specific target organ toxicity - repeated exposure*

This information is not available.

## *Aspiration hazard*

This information is not available.

## **11.2 Further information**

Systemic effects:

Convulsions, shock

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

## **Components**

### *phosphoric acid*

#### *Acute oral toxicity*

LD50 Rat: ca. 2.600 mg/kg

OECD Test Guideline 423

#### *Acute dermal toxicity*

LD50 Rabbit: 2.740 mg/kg

(IUCLID)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

## *Skin irritation*

Rabbit

Result: Causes burns.

US-EPA

## *Eye irritation*

Rabbit

Result: Causes burns.

(IUCLID)

## *Sensitisation*

Patch test: human

Result: negative

(IUCLID)

## *Germ cell mutagenicity*

### *Genotoxicity in vitro*

Ames test

Escherichia coli/Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

In vitro mammalian cell gene mutation test

Result: negative

Method: OECD Test Guideline 473

In vitro mammalian cell gene mutation test

Mouse lymphoma test

Result: negative

Method: OECD Test Guideline 476

---

## **SECTION 12. Ecological information**

### **Mixture**

#### **12.1 Toxicity**

No information available.

#### **12.2 Persistence and degradability**

No information available.

#### **12.3 Bioaccumulative potential**

No information available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

## 12.6 Other adverse effects

### *Additional ecological information*

Harmful effect due to pH shift. Caustic even in diluted form. Depending on the concentration, phosphorus compounds may contribute to the eutrophication of water supplies.

Discharge into the environment must be avoided.

## Components

### *phosphoric acid*

#### *Toxicity to fish*

LC50 *Gambusia affinis* (Mosquito fish): 138 mg/l; 96 h  
(External MSDS)

#### *Toxicity to daphnia and other aquatic invertebrates*

static test EC50 *Daphnia magna* (Water flea): > 100 mg/l; 48 h  
Analytical monitoring: yes  
OECD Test Guideline 202

#### *Toxicity to algae*

static test ErC50 *Desmodesmus subspicatus* (green algae): > 100 mg/l; 72 h  
Analytical monitoring: yes  
OECD Test Guideline 201

#### *Toxicity to bacteria*

EC50 activated sludge: 270 mg/l  
(IUCLID)

#### *Biodegradability*

The methods for determining the biological degradability are not applicable to inorganic substances.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573  
Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

*Partition coefficient: n-octanol/water*

log Pow: -0,77

(calculated)

(Lit.) Bioaccumulation is not expected.

PBT/vPvB: Not applicable for inorganic substances

---

## SECTION 13. Disposal considerations

### *Waste treatment methods*

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14. Transport information

### Land transport (ADR/RID)

14.1 UN number	UN 1805
14.2 Proper shipping name	PHOSPHORIC ACID, SOLUTION
14.3 Class	8
14.4 Packing group	III
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
Tunnel restriction code	E

### Inland waterway transport (ADN)

Not relevant

### Air transport (IATA)

14.1 UN number	UN 1805
14.2 Proper shipping name	PHOSPHORIC ACID, SOLUTION
14.3 Class	8
14.4 Packing group	III
14.5 Environmentally hazardous	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573  
Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

14.6 Special precautions for user no

## Sea transport (IMDG)

14.1 UN number UN 1805

14.2 Proper shipping name PHOSPHORIC ACID SOLUTION

14.3 Class 8

14.4 Packing group III

14.5 Environmentally hazardous --

14.6 Special precautions for user yes

EmS F-A S-B

## 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

---

## SECTION 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### *EU regulations*

Major Accident Hazard SEVESO III

Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at work.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

Substances of very high concern (SVHC)

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of  $\geq 0.1\%$  (w/w).

*National legislation*

Storage class 8B

## 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

---

## SECTION 16. Other information

### Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

### Training advice

Provide adequate information, instruction and training for operators.

### Labelling

*Hazard pictograms*



*Signal word*

Danger

*Hazard statements*

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

*Precautionary statements*



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

## Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

## Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

## Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at [www.wikipedia.org](http://www.wikipedia.org).

## Regional representation

This information is given on the authorised Safety Data Sheet for your country.

---

*The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.*

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

## EXPOSURE SCENARIO 1 (Industrial use)

---

### 1. Industrial use Reagent for analysis, Chemical production)

#### Sectors of end-use

- SU 3* Industrial uses: Uses of substances as such or in preparations at industrial sites
- SU 9* Manufacture of fine chemicals
- SU 10* Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)

#### Chemical product category

- PC19* Intermediate
- PC21* Laboratory chemicals

#### Process categories

- PROC1* Use in closed process, no likelihood of exposure
- PROC2* Use in closed, continuous process with occasional controlled exposure
- PROC3* Use in closed batch process (synthesis or formulation)
- PROC4* Use in batch and other process (synthesis) where opportunity for exposure arises
- PROC5* Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact)
- PROC8a* Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities
- PROC8b* Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities
- PROC9* Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
- PROC10* Roller application or brushing
- PROC14* Production of preparations or articles by tableting, compression, extrusion, pelletisation
- PROC15* Use as laboratory reagent

#### Environmental Release Categories

- ERC2* Formulation of preparations
- ERC4* Industrial use of processing aids in processes and products, not becoming part of articles
- ERC6a* Industrial use resulting in manufacture of another substance (use of intermediates)
- ERC6b* Industrial use of reactive processing aids

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573  
Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

## 2. Contributing scenarios: Operational conditions and risk management measures

---

### 2.1 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC14, PROC15

#### Product characteristics

Concentration of the Substance in Mixture/Article	Covers the percentage of the substance in the product up to 100 %.
Physical Form (at time of use)	Solid, low dustiness

#### Frequency and duration of use

Frequency of use	8 hours/day
Frequency of use	5 days/week

#### Other operational conditions affecting workers exposure

Outdoor / Indoor	Indoor without local exhaust ventilation (LEV)
------------------	--

#### Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

#### Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves tested to EN374. Tightly fitting safety goggles

#### Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice	Wear suitable coveralls to prevent exposure to the skin.
---------------------------------	--

---

### 2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC14, PROC15

#### Product characteristics

Concentration of the Substance in Mixture/Article	Covers the percentage of the substance in the product up to 100 %.
Physical Form (at time of use)	Low volatile liquid
Process Temperature	< 84 °C

#### Frequency and duration of use

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573  
Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

Frequency of use 8 hours/day  
Frequency of use 5 days/week

## Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor without local exhaust ventilation (LEV)

## Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

## Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves tested to EN374. Tightly fitting safety goggles

## Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Wear suitable coveralls to prevent exposure to the skin.

---

## 3. Exposure estimation and reference to its source

### Environment

A chemical safety assessment was performed according REACH Article 14(3), Annex I, sections 3 (Environmental Hazard Assessment) and 4 (PBT/vPvB Assessment). As no hazard was identified, an exposure assessment and risk characterisation is not necessary (REACH Annex I section 5.0).

### Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.1	PROC1	longterm, inhalative, local	0,01	MEASE, Solid
2.1	PROC2	longterm, inhalative, local	0,01	MEASE, Solid
2.1	PROC3	longterm, inhalative, local	0,1	MEASE, Solid
2.1	PROC4	longterm, inhalative, local	0,5	MEASE, Solid
2.1	PROC5	longterm, inhalative, local	0,5	MEASE, Solid
2.1	PROC8a	longterm, inhalative, local	0,5	MEASE, Solid
2.1	PROC8b	longterm, inhalative, local	0,1	MEASE, Solid
2.1	PROC9	longterm, inhalative, local	0,1	MEASE, Solid
2.1	PROC10	longterm, inhalative, local	0,5	MEASE, Solid
2.1	PROC14	longterm, inhalative, local	0,1	MEASE, Solid
2.1	PROC15	longterm, inhalative, local	0,1	MEASE, Solid

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

---

2.2	PROC1	longterm, inhalative, local	0,01	MEASE, Liquid
2.2	PROC2	longterm, inhalative, local	0,01	MEASE, Liquid
2.2	PROC3	longterm, inhalative, local	0,1	MEASE, Liquid
2.2	PROC4	longterm, inhalative, local	0,5	MEASE, Liquid
2.2	PROC5	longterm, inhalative, local	0,5	MEASE, Liquid
2.2	PROC8a	longterm, inhalative, local	0,5	MEASE, Liquid
2.2	PROC8b	longterm, inhalative, local	0,1	MEASE, Liquid
2.2	PROC9	longterm, inhalative, local	0,1	MEASE, Liquid
2.2	PROC10	longterm, inhalative, local	0,5	MEASE, Liquid
2.2	PROC14	longterm, inhalative, local	0,1	MEASE, Liquid
2.2	PROC15	longterm, inhalative, local	0,1	MEASE, Liquid

The default parameters and -efficiencies of the applied exposure assessment model were used for the calculation (unless stated differently).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

---

## 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

## EXPOSURE SCENARIO 2 (Professional use)

---

### 1. Professional use Reagent for analysis, Chemical production)

#### Sectors of end-use

*SU 22* Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Chemical product category

*PC 21* Laboratory chemicals

#### Process categories

*PROC 15* Use as laboratory reagent

#### Environmental Release Categories

*ERC 2* Formulation of preparations

*ERC 6a* Industrial use resulting in manufacture of another substance (use of intermediates)

*ERC 6b* Industrial use of reactive processing aids

---

### 2. Contributing scenarios: Operational conditions and risk management measures

---

#### 2.1 Contributing scenario controlling worker exposure for: PROC15

#### Product characteristics

Concentration of the Substance in Mixture/Article Covers the percentage of the substance in the product up to 100 %.

Physical Form (at time of use) Solid, low dustiness

#### Frequency and duration of use

Frequency of use 8 hours/day

Frequency of use 5 days/week

#### Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor without local exhaust ventilation (LEV)

#### Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573  
Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

## Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves tested to EN374. Tightly fitting safety goggles

## Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Wear suitable coveralls to prevent exposure to the skin.

---

## 2.2 Contributing scenario controlling worker exposure for: PROC15

### Product characteristics

Concentration of the Substance in Mixture/Article	Covers the percentage of the substance in the product up to 100 %.
Physical Form (at time of use)	Low volatile liquid
Process Temperature	< 84 °C

### Frequency and duration of use

Frequency of use	8 hours/day
Frequency of use	5 days/week

### Other operational conditions affecting workers exposure

Outdoor / Indoor	Indoor with local exhaust ventilation (LEV)
------------------	---

### Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

## Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves tested to EN374. Tightly fitting safety goggles

## Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Wear suitable coveralls to prevent exposure to the skin.

---

## 3. Exposure estimation and reference to its source

### Environment

A chemical safety assessment was performed according REACH Article 14(3), Annex I, sections 3 (Environmental Hazard Assessment) and 4 (PBT/vPvB Assessment). As no hazard was identified, an exposure assessment and risk characterisation is not necessary (REACH Annex I section 5.0).

---



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100573

Product name ortho-Phosphoric acid 85% for analysis EMSURE® ACS,ISO,Reag. Ph Eur

---

## Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.1	PROC15	longterm, inhalative, local	0,1	MEASE, Solid
2.2	PROC15	longterm, inhalative, local	0,5	MEASE, Liquid

The default parameters and -efficiencies of the applied exposure assessment model were used for the calculation (unless stated differently).

---

## 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).