

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 23.11.2015

Version 8.2

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 109994
 Product name Vanadium standard 1000 mg V, (VOSO₄ in 8.6% H₂SO₄) Titrisol®
 REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
 For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0
 Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1, H290

Skin irritation, Category 2, H315

Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC)

Xi Irritant R36/38

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 109994
Product name Vanadium standard 1000 mg V, (VOSO₄ in 8.6% H₂SO₄) Titrisol®

Precautionary statements

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word
Warning

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous sulfuric acid solution of inorganic compounds.

3.1 Substance

Not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No.	Registration number	Classification
---------	---------------------	----------------

sulphuric acid ($\geq 5\%$ - $< 10\%$)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7664-93-9	01-2119458838-20-
-----------	-------------------

XXXX

Corrosive to metals, Category 1, H290

Skin corrosion, Category 1A, H314

Vanadium(IV) oxide sulphate ($\geq 3\%$ - $< 5\%$)

27774-13-6	*)
------------	----

Acute toxicity, Category 4, H302

Skin irritation, Category 2, H315

Eye irritation, Category 2, H319

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Hazardous components (1999/45/EC)

Chemical Name (Concentration)

CAS-No.	Classification
---------	----------------

sulphuric acid ($\geq 5\%$ - $< 10\%$)

7664-93-9	C, Corrosive; R35
-----------	-------------------

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 109994
Product name Vanadium standard 1000 mg V, (VOSO₄ in 8.6% H₂SO₄) Titrisol®

Vanadium(IV) oxide sulphate ($\geq 1\%$ - $< 10\%$)
27774-13-6 Xn, Harmful; R22
Xi, Irritant; R36/38

For the full text of the R-phrases mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects

Vanadium and its compounds generally cause irritations after eye and skin contact and mucosal irritations, coughing, and dyspnoea after inhalation. After absorption of toxic quantities changes in the blood picture, loss of weight, cardiovascular complaints.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 109994
Product name Vanadium standard 1000 mg V, (VOSO₄ in 8.6% H₂SO₄) Titrisol®

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal or light-weight-metal containers.

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

sulphuric acid (7664-93-9)

Worker DNEL, acute	Local effects	inhalation	0,1 mg/m ³
--------------------	---------------	------------	-----------------------

Worker DNEL, longterm	Local effects	inhalation	0,05 mg/m ³
-----------------------	---------------	------------	------------------------

Predicted No Effect Concentration (PNEC)

sulphuric acid (7664-93-9)

PNEC Fresh water	0,0025 mg/l
------------------	-------------

PNEC Fresh water sediment	0,002 mg/kg
---------------------------	-------------

PNEC Marine water	0,00025 mg/l
-------------------	--------------

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 109994
Product name Vanadium standard 1000 mg V, (VOSO₄ in 8.6% H₂SO₄) Titrisol®

PNEC Marine sediment	0,002 mg/kg
PNEC Sewage treatment plant	8,8 mg/l

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: filter ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	109994
Product name	Vanadium standard 1000 mg V, (VOSO ₄ in 8.6% H ₂ SO ₄) Titrisol®

Form	liquid
Colour	blue
Odour	odourless
Odour Threshold	Not applicable
pH	ca. 0,5 at 20 °C
Melting point	No information available.
Boiling point	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Density	1,06 g/cm ³ at 20 °C
Relative density	No information available.
Water solubility	at 20 °C soluble
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	Oxidizing potential

9.2 Other data

Corrosion	May be corrosive to metals.
-----------	-----------------------------

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	109994
Product name	Vanadium standard 1000 mg V, (VOSO ₄ in 8.6% H ₂ SO ₄) Titrisol®

SECTION 10. Stability and reactivity

10.1 Reactivity

has a corrosive effect

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Alkali metals, alkali compounds, Ammonia, alkalines, Metals, Alkaline earth metals, alkaline earth compounds, metal alloys, acids

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

animal/vegetable tissues, Metals

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

Acute toxicity estimate: > 2.000 mg/kg

Calculation method

Acute toxicity estimate: > 2.000 mg/kg

Calculation method

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity

This information is not available.

Skin irritation

Mixture causes skin irritation.

Eye irritation

Damage to: Cornea

Mixture causes serious eye irritation.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 109994
Product name Vanadium standard 1000 mg V, (VOSO₄ in 8.6% H₂SO₄) Titrisol®

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

After inhalation of vapours: irritative symptoms in the respiratory tract. After skin contact: severe irritations. After eye contact: corneal destruction. After swallowing: damage of the oral, oesophageal, and gastric mucous membranes. Perforation of the oesophagus frequently occurs. Circulatory collapse may occur after 1-2 hours.

Vanadium and its compounds generally cause irritations after eye and skin contact and mucosal irritations, coughing, and dyspnoea after inhalation. After absorption of toxic quantities changes in the blood picture, loss of weight, cardiovascular complaints.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

sulphuric acid

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(HSDB)

Vanadium(IV) oxide sulphate

Acute oral toxicity

Acute toxicity estimate: 500,1 mg/kg

Expert judgement

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

12.6 Other adverse effects

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 109994
Product name Vanadium standard 1000 mg V, (VOSO₄ in 8.6% H₂SO₄) Titrisol®

Additional ecological information

Harmful effect due to pH shift. Neutralisation possible in waste water treatment plants. Discharge into the environment must be avoided.

Components

sulphuric acid

Toxicity to fish

static test LC50 *Lepomis macrochirus* (Bluegill sunfish): > 16 - < 28 mg/l; 96 h

Analytical monitoring: yes
(ECHA)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 *Daphnia magna* (Water flea): > 100 mg/l; 48 h

Analytical monitoring: yes
OECD Test Guideline 202

Toxicity to algae

static test EC50 *Desmodesmus subspicatus* (green algae): > 100 mg/l; 72 h

Analytical monitoring: yes
OECD Test Guideline 201

Toxicity to fish (Chronic toxicity)

flow-through test NOEC *Cyprinodon* sp. (minnow): 0,025 mg/l; 65 d

Analytical monitoring: yes
(ECHA)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Vanadium(IV) oxide sulphate

No information available.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number	UN 2796
14.2 Proper shipping name	SULPHURIC ACID
14.3 Class	8
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
Tunnel restriction code	E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 109994
Product name Vanadium standard 1000 mg V, (VOSO₄ in 8.6% H₂SO₄) Titrisol®

14.1 UN number UN 2796
14.2 Proper shipping name SULPHURIC ACID
14.3 Class 8
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user no

Sea transport (IMDG)

14.1 UN number UN 2796
14.2 Proper shipping name SULPHURIC ACID
14.3 Class 8
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
EmS F-A S-B

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at work.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Substances of very high concern (SVHC) This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).

National legislation

Storage class 8B

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 109994
Product name Vanadium standard 1000 mg V, (VOSO₄ in 8.6% H₂SO₄) Titrisol®

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

Full text of R-phrases referred to under sections 2 and 3

R22	Harmful if swallowed.
R35	Causes severe burns.
R36/38	Irritating to eyes and skin.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word

Warning

Hazard statements

H290 May be corrosive to metals.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

Precautionary statements


Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.


P313 Get medical advice/ attention.

Labelling (67/548/EEC or 1999/45/EC)

Symbol(s)  Xi Irritant

R-phrases 36/38 Irritating to eyes and skin.

Reduced labelling (≤125 ml)

Symbol(s)  Xi Irritant

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	109994
Product name	Vanadium standard 1000 mg V, (VOSO ₄ in 8.6% H ₂ SO ₄) Titrisol®

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.